


# SXC-FP530-F


AMD Ryzen™ Embedded R2314 Processor based Mini PC  
supports four displays with 4HDMI2.0, 2LAN, 2COM, 7USB



## Features

- CPU: AMD Ryzen™ Embedded R2314 Processor
- Memory: Dual Channel SO-DIMM DDR4 up to 64GB
- GPU: AMD Radeon™ Graphics, support four displays up to 4K@60Hz  
Support HDMI Hot-Plug Lock, RTC/W
- Ethernet: 2xRealtek RTL8111H(10/100/1000/Mbps)
- Storage: M.2 Key M for NVMe/SATA, M.2 Key B for SATA SSD/4G
- I/O Ports: 2xLAN, 2xCOM, 2xUSB3.2, 4xUSB2.0, 4xHDMI2.0, USB-C
- Expansion: M.2 Key E for Wi-Fi and Bluetooth, Nano SIM
- Power: 12V/19V DC-IN


**AMD**  
together we advance\_





## Technical Specifications

Processor	AMD Ryzen™ Embedded	R2314
	Total Cores/Threads	4C/4T
	Base Frequency	2.10GHz
	Max Frequency	3.50GHz
	Total L2 Cache	2MB
	Total L3 Cache	4MB
	TDP	35W
	GPU	AMD Radeon™ Graphics
	BIOS	AMI UEFI BIOS
	Memory	Type
Max. Capacity		64GB
Display	Graphics	Integrated Graphics depends on the CPU model, see GPUs.
	Display via	4x HDMI2.0
	Max Resolution	Up to 4K @ 60Hz
Ethernet		HDMI Hot-Plug Lock
	Controller	2xRealtek 8111H
	Max. Speed	10/100/1000Mbps
	Interface	2x RJ45
Audio	Wake on LAN	Yes
	Audio Codec	Realtek ALC897 High Definition Audio Codec
Storage	Interface	1x Line-out, 1xMic-in
	M.2_N/S	1x M.2 Key_M Slot for 2280 NVMe/SATA SSD
Expansion	M.2_S/W	1x M.2 Key_B Slot for 2242/2280 SATA SSD or 3042 4G Module
	M.2_E	1x M.2 Key_E Slot for 2230 Wi-Fi and Bluetooth Module
Other I/O	Nano SIM	1x Nano SIM Slot
	COM	2x COM(RS232 by default, RS485 optional through hardware changes)
	USB2.0	4
	USB3.2	2
	USB-C	1xUSB-C(Supports USB3.2 only)
	Wired Control	1
	TPM	Onboard, optional
Real Time Clock	RTC	Support RTC set up, independently for each day of the week.
Dimension	Size	190mm x 150mm x 35mm
Weight	N.W.	1.06KG
Power	Standard Port	12V/19V DC-IN
Temperature	Operating Temp.	- 20°C to 60°C
	Storage Temp.	- 40°C to 80°C
Cooling Method		Active
Operating System		Windows 10/11 64bit, Linux 64bit



Copyright © 2025 Maxtang Technology Co. Ltd. All rights reserved. All data is for information purposes only and not guaranteed for legal purposes. Information has been carefully checked and is believed to be accurate however, no responsibility is assumed for inaccuracies. Maxtang and the Maxtang logo and all other trademarks or registered trademarks are the property of their respective owners and are recognized. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress, and HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

**Maxtang**<sup>®</sup>

SHENZHEN MAXTANG COMPUTER CO. LTD.  
303, 3/F, Building 2, Runzhi R&D Center, Xin'an Street, Bao'an District, Shenzhen, China 518133  
Tel.: +86 755 86143003 | Fax: +86 755 86143003 | sales@datangpc.com

[www.maxtangpc.com](http://www.maxtangpc.com)