

# IXBYT-35

Intel Bay Trail Processor based Embedded Industrial PC



## Features

- CPU: Intel Bay Trail processors
- Memory: 2x Onboard DDR3L up to 4GB
- Display: Dual displays via HDMI, VGA
- Ethernet: 10/100/1000Mbps
- Storage: SATA2.0, mSATA
- Expansion: 1x mini PCIe for WiFi/4G, 1x SIM Slot
- Power: 12V/19V DC input, Phoenix input optional



IoT Solutions  
Alliance  
Industrial Solutions  
Builders Specialist




## Technical Specifications

Processor	CPU	J1800	J1900	N2940
	Base Frequency	2.41 GHz	2.00 GHz	1.83 GHz
	Burst Frequency	2.58 GHz	2.42 GHz	2.52 GHz
	Cache	2MB L2	2MB	2MB
	BIOS	AMI UEFI BIOS		
Memory	Type	2x Onboard DDR3L, Support Dual Channel		
	Max Capacity	4GB		
Display	GPU	Intel Integrated Graphics based on CPU		
	Display via	HDMI+ VGA		
Ethernet	Speed	10/100/1000Mbps		
	Controller	intel i211		
	Interface	RJ45		
	Wake on LAN	Yes		
Audio	Audio Codec	Realtek HD		
	Interface	2-in-1 Audio port		
Hardware	System temperature, Onboard voltage, Watchdog, Auto power on			
Storage	mSATA	1x mSATA for SSD		
	SATA2.0	1x SATA2.0		
Expansion	mini-PCIe	1x mini-PCIe for WiFi/4G		
	SIM	1x Micro SIM		
	eMMC	Optional		
I/O	LAN	2		
	COM	6 (2xRS485+4xRS232)		
	HDMI	1		
	VGA	1		
	USB2.0	5		
	USB3.2	1		
	Audio	1 (Line-out+ Mic-in)		
	DC-in	1		
	Dimension	Size	165mm x 125mm x 65mm	
Power	Standard port	12V/19V DC-IN / 4 PIN Power		
	Phoenix port	12-30V Phoenix input optional		
	Peripheral Input	For Fan and SATA		
	LED Indicator	Power indicator		
	Temperature	Operating Temp.	-20°C to 60°C	
Storage Temp.		-40°C to 80°C		
Cooling	Passive			
Operating System	Win7/8/10 32/64bit, Linux 32/64 bit			

\*All specifications and photos are subject to change without notice.

## Dimensions



Copyright ©2018 Maxtang Technology Co., Ltd. All rights reserved. All data is for information purposes only and not guaranteed for legal purposes. Information has been carefully checked and is believed to be accurate however, no responsibility is assumed for inaccuracies. Maxtang and the Maxtang logo and all other trademarks or registered trademarks are the property of their respective owners and are recognized.